

Most important publications

- [1] D. Sprenger, M. Weber *et al.*, “Application of a Kalman Filter alignment algorithm to cosmic-ray data reconstructed in one CMS silicon tracker endcap”, CMS NOTE-2010/002, to be submitted to JINST.
- [2] S. Chatrchyan *et al.* [CMS Collaboration], “Alignment of the CMS Silicon Tracker during Commissioning with Cosmic Rays”, [arXiv:0910.2505v1](https://arxiv.org/abs/0910.2505v1), accepted by JINST.
- [3] W. Adam *et al.*, “CMS Tracker Alignment at the Integration Facility”, JINST **4** (2009) T07001.
- [4] The CMS Tracker End Cap Collaboration, V. Adler *et al.*, “Integration of the End Cap TEC+ of the CMS Silicon Strip Tracker”, CMS NOTE-2009/029.
- [5] M. Weber, “Alignment strategy for the CMS Tracker”, Journal of Physics: Conference Series **120** (2008) 022034.
- [6] R. Adolphi *et al.* [CMS Collaboration], “The CMS experiment at the CERN LHC,” JINST **0803** (2008) S08004.
- [7] T. Lampén, N. de Filippis, F.-P. Schilling, A. Schmidt and M. Weber, “Comprehensive Set of Misalignment Scenarios for the CMS Tracker”, CMS NOTE-2008/029.
- [8] T. Bergauer *et al.*, “Petal Integration for the CMS Tracker End Caps”, CMS NOTE-2008/028.
- [9] M. Weber, “The CMS Tracker Alignment Strategy,” Nucl. Instrum. Meth. A **582** (2007) 795.
- [10] G. L. Bayatian *et al.* “CMS technical design report, volume II: Physics performance,” J. Phys. G **34** (2007) 995.
- [11] M. Weber, “The CMS tracker,” Nucl. Phys. Proc. Suppl. **142** (2005) 430.
- [12] P. Achard *et al.* [L3 Collaboration], “Neutral-current four-fermion production in e^+e^- interactions at LEP,” Phys. Lett. B **616**, 159 (2005).
- [13] P. Achard *et al.* [L3 Collaboration], “Z boson pair-production at LEP,” Phys. Lett. B **572**, 133 (2003).
- [14] H. Anderhub *et al.*, “Experience with the L3 vertex drift chamber at LEP,” Nucl. Instrum. Meth. A **515** (2003) 31.
- [15] M. Weber, “Measurement of Boson self couplings at LEP and search for anomalies”, Proceedings of the XXXVIIth Rencontres de Moriond (ELECTROWEAK INTERACTIONS AND UNIFIED THEORIES), THÊ’ GIÓ’I Publishers, Vietnam, 2002.
- [16] M. Weber, “Measurement of the reaction $e^+e^- \rightarrow ZZ \rightarrow q\bar{q}\ell^+\ell^-$ with the L3 detector at LEP,” Ph. D. thesis, III. Physikalisches Institut, RWTH Aachen, (2002), in German.
- [17] M. Acciarri *et al.* [L3 Collaboration], “Study of Z boson pair production in e^+e^- interactions at $\sqrt{s} = 192$ GeV to 202 GeV,” Phys. Lett. B **497**, 23 (2001).
- [18] M. Acciarri *et al.* [L3 Collaboration], “Study of Z boson pair production in e^+e^- collisions at LEP at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **465**, 363 (1999).
- [19] M. Acciarri *et al.* [L3 Collaboration], “Search for extra dimensions in boson and fermion pair production in e^+e^- interactions at LEP,” Phys. Lett. B **470**, 281 (1999).

- [20] M. Weber, “Development of a control system for the proton storage ring of the HERA accelerator,” Diplom thesis, III. Physikalisches Institut, RWTH Aachen, (1998), in german.

Further publications with the CMS Collaboration

- [1] W. Adam *et al.* [CMS Tracker Collaboration], “Stand-alone Cosmic Muon Reconstruction Before Installation of the CMS Silicon Strip Tracker,” arXiv:0902.1860 [physics.ins-det].
- [2] W. Adam *et al.* [CMS Tracker Collaboration], “Performance studies of the CMS Strip Tracker before installation,” JINST **4** (2009) P06009 [arXiv:0901.4316 [physics.ins-det]].
- [3] D. G. d’Enterria *et al.* [CMS Collaboration], “CMS physics technical design report: Addendum on high density QCD with heavy ions,” J. Phys. G **34** (2007) 2307.
- [4] J. Nash *et al.* [CMS Collaboration], “CMS expression of interest in the SLHC,”
- [5] G. L. Bayatian *et al.* [CMS Collaboration], “CMS physics: Technical design report,”
- [6] P. Arce, O. Buchmuller, F. P. Schilling, I. Vila and M. Weber, “Introduction to the CMS contribution,” CERN Yellow Report CERN-2007-004, *Prepared for 1st LHC Detector Alignment Workshop, Geneva, Switzerland, 4-6 Sep 2006.*
- [7] M. Weber, “The CMS alignment challenge,” CERN Yellow Report CERN-2007-004, *Prepared for 1st LHC Detector Alignment Workshop, Geneva, Switzerland, 4-6 Sep 2006.*
- [8] W. Adam *et al.* [CMS Tracker Collaboration], “The effect of highly ionising particles on the CMS silicon strip tracker,” Nucl. Instrum. Meth. A **543** (2005) 463.

Further publications with the L3 Collaboration

- [1] P. Achard *et al.* [L3 Collaboration], “Study of hadronic event shape in flavour tagged events in e+e-annihilation at $s = 197$ GeV,” PMC Phys. A **2** (2008) 6 [arXiv:0907.2658 [hep-ex]].
- [2] P. Achard *et al.* [L3 Collaboration], “Study of the solar anisotropy for cosmic ray primaries of about 200 GeV energy with the L3 + C muon detector,” Astron. Astrophys. **488**, 1093 (2008).
- [3] P. Achard *et al.* [L3 Collaboration], “Study of resonance formation in the mass region 1400 MeV to 1500 MeV through the reaction $\gamma\gamma \rightarrow K_S^0 K^{+-} \pi^{-+}$,” JHEP **0703**, 018 (2007).
- [4] P. Achard *et al.* [L3 Collaboration], “Study of inclusive strange-baryon production and search for pentaquarks in two-photon collisions at LEP,” Eur. Phys. J. C **49**, 395 (2007)
- [5] S. Schael *et al.* [ALEPH Collaboration and DELPHI Collaboration and L3 Collaboration and OPAL Collaboration], “Search for neutral MSSM Higgs bosons at LEP,” Eur. Phys. J. C **47**, 547 (2006)
- [6] P. Achard *et al.* [L3 Collaboration], “A search for flaring very-high-energy cosmic gamma-ray sources with the L3+C muon spectrometer,” Astropart. Phys. **25**, 298 (2006).
- [7] P. Achard *et al.* [L3 Collaboration], “Analysis of the $\pi^+\pi^-\pi^+\pi^-$ and $\pi^+\pi^0\pi^-\pi^0$ final states in quasi-real two-photon collisions at LEP,” Phys. Lett. B **638**, 128 (2006) [arXiv:hep-ex/0605021].
- [8] P. Achard *et al.* [L3 Collaboration], “Measurement of the mass and the width of the W boson at LEP,” Eur. Phys. J. C **45**, 569 (2006)

- [9] P. Achard *et al.* [L3 Collaboration], “Measurement of hadron and lepton-pair production in e^+e^- collisions at $\sqrt{s} = 192\text{ GeV} - 208\text{ GeV}$ at LEP,” *Eur. Phys. J. C* **47**, 1 (2006)
- [10] P. Achard *et al.* [L3 Collaboration], “Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP,” *Phys. Lett. B* **623**, 26 (2005)
- [11] P. Achard *et al.* [L3 Collaboration], “Measurement of the photon structure function $F_2(\gamma)$ with the L3 detector at LEP,”
- [12] P. Achard *et al.* [L3 Collaboration], “Measurement of the cross section for open-beauty production in photon photon collisions at LEP,” *Phys. Lett. B* **619**, 71 (2005)
- [13] P. Achard *et al.* [L3 Collaboration], “Compton scattering of quasi-real virtual photons at LEP,” *Phys. Lett. B* **616**, 145 (2005)
- [14] P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^+\rho^-$ production in mid-virtuality two-photon interactions and study of the $\gamma\gamma^* \rightarrow \rho\rho$ process at LEP,” *Phys. Lett. B* **615**, 19 (2005)
- [15] P. Achard *et al.* [L3 Collaboration], “Z-boson production with two unobserved, back-to-back, hard photons at LEP,” *Phys. Lett. B* **613**, 118 (2005)
- [16] P. Achard *et al.* [The L3 Collaboration], “Measurement of the shadowing of high-energy cosmic rays by the moon: A search for TeV-energy antiprotons,” *Astropart. Phys.* **23**, 411 (2005)
- [17] P. Achard *et al.* [L3 Collaboration], “Study of spin and decay-plane correlations of W bosons in the $e^+e^- \rightarrow W^+W^-$ process at LEP,” *Eur. Phys. J. C* **40**, 333 (2005)
- [18] P. Achard *et al.* [L3 Collaboration], “Search for an invisibly-decaying Higgs boson at LEP,” *Phys. Lett. B* **609**, 35 (2005)
- [19] P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^0\rho^0$ production in mid-virtuality two-photon interactions at LEP,” *Phys. Lett. B* **604**, 48 (2004)
- [20] P. Achard *et al.* [L3 Collaboration], “Inclusive jet production in two-photon collisions at LEP,” *Phys. Lett. B* **602**, 157 (2004)
- [21] P. Achard *et al.* [L3 Collaboration], “Measurement of the cross section of W-boson pair production at LEP,” *Phys. Lett. B* **600**, 22 (2004)
- [22] P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^+\rho^-$ production in high- Q^2 two-photon collisions at LEP,” *Phys. Lett. B* **597**, 26 (2004)
- [23] P. Achard *et al.* [L3 Collaboration], “Search for branons at LEP,” *Phys. Lett. B* **597**, 145 (2004)
- [24] P. Achard *et al.* [L3 Collaboration], “Study of the $e^+e^- \rightarrow Z\gamma$ process at LEP and limits on triple neutral-gauge-boson couplings,” *Phys. Lett. B* **597**, 119 (2004)
- [25] P. Achard *et al.* [L3 Collaboration], “Measurement of the atmospheric muon spectrum from 20-GeV to 3000-GeV,” *Phys. Lett. B* **598**, 15 (2004)
- [26] P. Achard *et al.* [L3 Collaboration], “Studies of hadronic event structure in e^+e^- annihilation from 30-GeV to 209-GeV with the L3 detector,” *Phys. Rept.* **399**, 71 (2004)
- [27] P. Achard *et al.* [L3 Collaboration], “Search for anomalous couplings in the Higgs sector at LEP,” *Phys. Lett. B* **589**, 89 (2004)

- [28] P. Achard *et al.* [L3 Collaboration], “Muon pair and tau pair production in two-photon collisions at LEP,” *Phys. Lett. B* **585**, 53 (2004)
- [29] P. Achard *et al.* [L3 Collaboration], “Measurement of triple gauge boson couplings of the W boson at LEP,” *Phys. Lett. B* **586**, 151 (2004)
- [30] P. Achard *et al.* [L3 Collaboration], “Inclusive Lambda production in two-photon collisions at LEP,” *Phys. Lett. B* **586**, 140 (2004)
- [31] P. Achard *et al.* [L3 Collaboration], “Flavour independent search for neutral Higgs bosons at LEP,” *Phys. Lett. B* **583**, 14 (2004)
- [32] P. Achard *et al.* [L3 Collaboration], “Single- and multi-photon events with missing energy in e^+e^- collisions at LEP,” *Phys. Lett. B* **587**, 16 (2004)
- [33] P. Achard *et al.* [L3 Collaborations], “Measurement of the Z-boson mass using $e^+e^- \rightarrow Z\gamma$ events at centre-of-mass energies above the Z pole,” *Phys. Lett. B* **585**, 42 (2004)
- [34] P. Achard *et al.* [L3 Collaboration], “Search for colour singlet and colour reconnection effects in hadronic Z decays at LEP,” *Phys. Lett. B* **581**, 19 (2004)
- [35] P. Achard *et al.* [L3 Collaboration], “Search for scalar leptons and scalar quarks at LEP,” *Phys. Lett. B* **580**, 37 (2004)
- [36] P. Achard *et al.* [L3 Collaboration], “Search for doubly-charged Higgs bosons at LEP,” *Phys. Lett. B* **576**, 18 (2003)
- [37] P. Achard *et al.* [L3 Collaboration], “Search for charged Higgs bosons at LEP,” *Phys. Lett. B* **575**, 208 (2003)
- [38] P. Achard *et al.* [L3 Collaboration], “Search for a Higgs boson decaying to weak boson pairs at LEP,” *Phys. Lett. B* **534**, 28 (2002)
- [39] P. Achard *et al.* [L3 Collaboration], “Proton antiproton pair production in two-photon collisions at LEP,” *Phys. Lett. B* **571**, 11 (2003)
- [40] P. Achard *et al.* [L3 Collaboration], “Search for Excited Leptons at LEP,” *Phys. Lett. B* **568**, 23 (2003)
- [41] P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho_0\rho_0$ production in two-photon collisions at high Q^2 at LEP,” *Phys. Lett. B* **568**, 11 (2003)
- [42] R. Barate *et al.* [ALEPH Collaboration], “Search for the standard model Higgs boson at LEP,” *Phys. Lett. B* **565**, 61 (2003)
- [43] P. Achard *et al.* [L3 Collaboration], “Measurement of branching fractions of tau hadronic decays,” CERN-EP-2003-019
- [44] P. Achard *et al.* [L3 Collaboration], “Search for colour reconnection effects in $e^+e^- \rightarrow W^+W^- \rightarrow$ hadrons through particle-flow studies at LEP,” *Phys. Lett. B* **561**, 202 (2003)
- [45] P. Achard *et al.* [L3 Collaboration], “Study of the $e^+e^- \rightarrow Ze^+e^-$ process at LEP,” *Phys. Lett. B* **561**, 73 (2003)
- [46] P. Achard *et al.* [L3 Collaboration], “Measurement of W polarisation at LEP,” *Phys. Lett. B* **557**, 147 (2003)

- [47] P. Achard *et al.* [L3 Collaboration], “Inclusive charged hadron production in two-photon collisions at LEP,” *Phys. Lett. B* **554**, 105 (2003)
- [48] P. Achard *et al.* [L3 Collaboration], “Search for single top production at LEP. ((B)),” *Phys. Lett. B* **549**, 290 (2002)
- [49] P. Achard *et al.* [L3 Collaboration], “Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow W^+W^-$ events at LEP,” *Phys. Lett. B* **547**, 139 (2002)
- [50] P. Achard *et al.* [L3 Collaboration], “Production of single W bosons at LEP and measurement of $WW\gamma$ gauge coupling parameters,” *Phys. Lett. B* **547**, 151 (2002)
- [51] P. Achard *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at \sqrt{s} up to 209 GeV,” *Phys. Lett. B* **545**, 30 (2002)
- [52] P. Achard *et al.* [L3 Collaboration], “Measurement of genuine three-particle Bose-Einstein correlations in hadronic Z decay,” *Phys. Lett. B* **540**, 185 (2002) [arXiv:hep-ex/0206051].
- [53] P. Achard *et al.* [L3 Collaboration], “The $e^+e^- \rightarrow Z\gamma\gamma \rightarrow q\bar{q}\gamma\gamma$ Reaction at LEP and Constraints on Anomalous Quartic Gauge Boson Couplings,” *Phys. Lett. B* **540**, 43 (2002) [arXiv:hep-ex/0206050].
- [54] P. Achard *et al.* [L3 Collaboration], “Determination of $\alpha(s)$ from hadronic event shapes in e^+e^- annihilation at $192 \text{ GeV} \leq \sqrt{s} \leq 208 \text{ GeV}$,” *Phys. Lett. B* **536**, 217 (2002).
- [55] P. Achard *et al.* [L3 Collaboration], “Inclusive $D^{*\pm}$ Production in Two-Photon Collisions at LEP,” *Phys. Lett. B* **535**, 59 (2002) [arXiv:hep-ex/0204027].
- [56] P. Achard *et al.* [L3 Collaboration], “ Λ and Σ^0 pair production in two-photon collisions at LEP,” *Phys. Lett. B* **536**, 24 (2002) [arXiv:hep-ex/0204025].
- [57] P. Achard *et al.* [L3 Collaboration], “Search for a Higgs boson decaying into two photons at LEP,” *Phys. Lett. B* **534**, 28 (2002) [arXiv:hep-ex/0203016].
- [58] P. Achard *et al.* [L3 Collaboration], “Study of multiphoton final states and tests of QED in e^+e^- collisions at \sqrt{s} up to 209 GeV,” [arXiv:hep-ex/0202025].
- [59] P. Achard *et al.* [L3 Collaboration], “Study of the $W^+W^-\gamma$ process and limits on anomalous quartic gauge boson couplings at LEP,” *Phys. Lett. B* **527**, 29 (2002) [arXiv:hep-ex/0111029].
- [60] P. Achard *et al.* [L3 Collaboration], “Search for R-parity violating decays of supersymmetric particles in e^+e^- collisions at LEP,” *Phys. Lett. B* **524**, 65 (2002) [arXiv:hep-ex/0110057].
- [61] P. Achard *et al.* [L3 Collaboration], “Search for R-parity Violating Decays of Supersymmetric Particles in e^+e^- Collisions at LEP,” HEP-EX-0110057.
- [62] P. Achard *et al.* [L3 Collaboration], “Measurement of the charged-particle multiplicity and inclusive momentum distributions in Z decays at LEP,” arXiv:hep-ex/0110072.
- [63] P. Achard *et al.* [L3 Collaboration], “ $f_1(1285)$ formation in two photon collisions at LEP,” *Phys. Lett. B* **526**, 269 (2002) [arXiv:hep-ex/0110073].
- [64] P. Achard *et al.* [L3 Collaboration], “Double-tag events in two-photon collisions at LEP,” arXiv:hep-ex/0111012.

- [65] P. Achard *et al.* [L3 Collaboration], “Inclusive π^0 and K_S^0 production in two-photon collisions at LEP,” Phys. Lett. B **524**, 44 (2002) [arXiv:hep-ex/0109037].
- [66] P. Achard *et al.* [L3 Collaboration], “Bose-Einstein correlations of neutral and charged pions in hadronic Z decays,” Phys. Lett. B **524**, 55 (2002) [arXiv:hep-ex/0109036].
- [67] P. Achard *et al.* [L3 Collaboration], “Search for heavy isosinglet neutrino in e^+e^- annihilation at LEP,” Phys. Lett. B **517**, 67 (2001) [arXiv:hep-ex/0107014].
- [68] P. Achard *et al.* [L3 Collaboration], “Standard model Higgs boson with the L3 experiment at LEP,” Phys. Lett. B **517**, 319 (2001) [arXiv:hep-ex/0107054].
- [69] P. Achard *et al.* [L3 Collaboration], “Measurement of the topological branching fractions of the tau lepton at LEP,” Phys. Lett. B **519**, 189 (2001) [arXiv:hep-ex/0107055].
- [70] P. Achard *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at LEP,” Phys. Lett. B **517**, 75 (2001) [arXiv:hep-ex/0107015].
- [71] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the tau branching fractions into leptons,” Phys. Lett. B **507**, 47 (2001) [arXiv:hep-ex/0102023].
- [72] M. Acciarri *et al.* [L3 Collaboration], “Study of the $e^+e^- \rightarrow Z\gamma\gamma \rightarrow q\bar{q}\gamma\gamma$ process at LEP,” Phys. Lett. B **505**, 47 (2001) [arXiv:hep-ex/0102024].
- [73] M. Acciarri *et al.* [L3 Collaboration], “Total cross section in $\gamma\gamma$ collisions at LEP,” Phys. Lett. B **519**, 33 (2001) [arXiv:hep-ex/0102025].
- [74] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the charm production cross section in $\gamma\gamma$ collisions at LEP,” Phys. Lett. B **514**, 19 (2001) [arXiv:hep-ex/0101025].
- [75] M. Acciarri *et al.* [L3 Collaboration], “ $K_S^0 K_S^0$ final state in two-photon collisions and implications for glueballs,” Phys. Lett. B **501**, 173 (2001) [arXiv:hep-ex/0011037].
- [76] M. Acciarri *et al.* [L3 Collaboration], “Higgs candidates in e^+e^- interactions at $\sqrt{s} = 206.6$ GeV,” Phys. Lett. B **495**, 18 (2000) [arXiv:hep-ex/0011043].
- [77] M. Acciarri *et al.* [L3 Collaboration], “Search for excited leptons in e^+e^- interactions at $\sqrt{s} = 192$ GeV - 202 GeV,” Phys. Lett. B **502**, 37 (2001) [arXiv:hep-ex/0011068].
- [78] M. Acciarri *et al.* [L3 Collaboration], “Measurements of the cross sections for open charm and beauty production in $\gamma\gamma$ collisions at $\sqrt{s} = 189$ GeV - 202 GeV,” Phys. Lett. B **503**, 10 (2001) [arXiv:hep-ex/0011070].
- [79] M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 192$ GeV to 202 GeV,” Phys. Lett. B **503**, 21 (2001) [arXiv:hep-ex/0012017].
- [80] M. Acciarri *et al.* [L3 Collaboration], “Search for the standard model Higgs boson in e^+e^- collisions at \sqrt{s} up to 202 GeV,” Phys. Lett. B **508**, 225 (2001) [arXiv:hep-ex/0012019].
- [81] M. Acciarri *et al.* [L3 Collaboration], “Light resonances in $K_S^0 K^\pm \pi^\mp$ and $\eta\pi^+\pi^-$ final states in $\gamma\gamma$ collisions at LEP,” Phys. Lett. B **501**, 1 (2001) [arXiv:hep-ex/0011035].
- [82] M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity violating decays of supersymmetric particles in e^+e^- collisions at $\sqrt{s} = 189$ GeV,” Eur. Phys. J. C **19**, 397 (2001) [arXiv:hep-ex/0011087].

- [83] M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at centre-of-mass energies up to 202 GeV,” Phys. Lett. B **496**, 34 (2000) [arXiv:hep-ex/0009010].
- [84] M. Acciarri *et al.* [L3 Collaboration], “Search for a Higgs boson decaying into two photons in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **489**, 115 (2000) [arXiv:hep-ex/0008025].
- [85] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $W^+W^-\gamma$ cross section and direct limits on anomalous quartic gauge boson couplings at LEP,” Phys. Lett. B **490**, 187 (2000) [arXiv:hep-ex/0008022].
- [86] M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous couplings in the Higgs sector at LEP,” Phys. Lett. B **489**, 102 (2000) [arXiv:hep-ex/0008023].
- [87] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the W pair production cross section and W decay branching fractions in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **496**, 19 (2000) [arXiv:hep-ex/0008026].
- [88] M. Acciarri *et al.* [L3 Collaboration], “Determination of γ / Z interference in e^+e^- annihilation at LEP,” Phys. Lett. B **489**, 93 (2000) [arXiv:hep-ex/0007006].
- [89] M. Acciarri *et al.* [L3 Collaboration], “Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow W^+ W^-$ at $\sqrt{s} \approx 189$ GeV,” Phys. Lett. B **493**, 233 (2000) [arXiv:hep-ex/0008020].
- [90] M. Acciarri *et al.* [L3 Collaboration], “Search for manifestations of new physics in fermion pair production at LEP,” Phys. Lett. B **489**, 81 (2000) [arXiv:hep-ex/0005028].
- [91] M. Acciarri *et al.* [L3 Collaboration], “QCD studies in e^+e^- annihilation from 30 GeV to 189 GeV,” Phys. Lett. B **489**, 65 (2000) [arXiv:hep-ex/0005045].
- [92] M. Acciarri *et al.* [L3 Collaboration], “Production of single W bosons at $\sqrt{s} = 189$ -GeV and measurement of $WW\gamma$ gauge couplings,” Phys. Lett. B **487**, 229 (2000) [arXiv:hep-ex/0007005].
- [93] M. Acciarri *et al.* [L3 Collaboration], “Measurements of the $b\bar{b}$ production cross section and forward-backward asymmetry at centre-of-mass energies above the Z pole at LEP,” Phys. Lett. B **485**, 71 (2000) [arXiv:hep-ex/0005023].
- [94] M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings in the process $e^+e^- \rightarrow Z\gamma$ at LEP,” Phys. Lett. B **489**, 55 (2000) [arXiv:hep-ex/0005024].
- [95] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the lifetime of the tau lepton,” Phys. Lett. B **479**, 67 (2000) [arXiv:hep-ex/0003023].
- [96] M. Acciarri *et al.* [L3 Collaboration], “Search for an invisibly decaying Higgs boson in e^+e^- collisions at $\sqrt{s} = 183$ GeV to 189 GeV,” Phys. Lett. B **485**, 85 (2000) [arXiv:hep-ex/0004006].
- [97] M. Acciarri *et al.* [L3 Collaboration], “Measurements of cross sections and forward-backward asymmetries at the Z resonance and determination of electroweak parameters,” Eur. Phys. J. C **16**, 1 (2000) [arXiv:hep-ex/0002046].
- [98] M. Acciarri *et al.* [L3 Collaboration], “Inclusive Σ^+ and Σ^0 production in hadronic Z decays,” Phys. Lett. B **479**, 79 (2000) [arXiv:hep-ex/0002066].
- [99] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the photon structure function at high Q^2 at LEP,” Phys. Lett. B **483**, 373 (2000) [arXiv:hep-ex/0004005].

- [100] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the running of the fine-structure constant,” Phys. Lett. B **476**, 40 (2000) [arXiv:hep-ex/0002035].
- [101] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $e^+e^- \rightarrow Z\gamma\gamma$ cross section and determination of quartic gauge boson couplings at LEP,” Phys. Lett. B **478**, 39 (2000) [arXiv:hep-ex/0002037].
- [102] M. Acciarri *et al.* [L3 Collaboration], “Search for charginos with a small mass difference with the lightest supersymmetric particle at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **482**, 31 (2000) [arXiv:hep-ex/0002043].
- [103] M. Acciarri *et al.* [L3 Collaboration], “Measurement of hadron and lepton-pair production at $130 \text{ GeV} < \sqrt{s} < 189 \text{ GeV}$ at LEP,” Phys. Lett. B **479**, 101 (2000) [arXiv:hep-ex/0002034].
- [104] M. Acciarri *et al.* [L3 Collaboration], “Hard-photon production and tests of QED at LEP,” Phys. Lett. B **475**, 198 (2000) [arXiv:hep-ex/0002036].
- [105] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the probability of gluon splitting into charmed quarks in hadronic Z decays,” Phys. Lett. B **476**, 243 (2000) [arXiv:hep-ex/9911016].
- [106] M. Acciarri *et al.* [L3 Collaboration], “Direct observation of longitudinally polarized W^\pm bosons,” Phys. Lett. B **474**, 194 (2000) [arXiv:hep-ex/0001016].
- [107] M. Acciarri *et al.* [L3 Collaboration], “Search for excited leptons at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **473**, 177 (2000) [arXiv:hep-ex/9910021].
- [108] M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **471**, 321 (1999) [arXiv:hep-ex/9910053].
- [109] M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **471**, 280 (1999) [arXiv:hep-ex/9910006].
- [110] M. Acciarri *et al.* [L3 Collaboration], “Search for charginos and neutralinos in e^+e^- collisions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **472**, 420 (2000) [arXiv:hep-ex/9910007].
- [111] M. Acciarri *et al.* [L3 Collaboration], “Measurement of triple-gauge-boson couplings of the W boson at LEP,” Phys. Lett. B **467**, 171 (1999) [arXiv:hep-ex/9910008].
- [112] M. Acciarri *et al.* [L3 Collaboration], “Single and multi-photon events with missing energy in e^+e^- collisions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **470**, 268 (1999) [arXiv:hep-ex/9910009].
- [113] M. Acciarri *et al.* [L3 Collaboration], “Searches for scalar quarks in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **471**, 308 (1999) [arXiv:hep-ex/9910020].
- [114] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the spectroscopy of orbitally excited B mesons at LEP,” Phys. Lett. B **465**, 323 (1999) [arXiv:hep-ex/9909018].
- [115] M. Acciarri *et al.* [L3 Collaboration], “Search for low scale gravity effects in e^+e^- collisions at LEP,” Phys. Lett. B **464**, 135 (1999) [arXiv:hep-ex/9909019].
- [116] M. Acciarri *et al.* [L3 Collaboration], “Measurement of R_b and $\text{Br}(b \rightarrow \ell\nu X)$ at LEP using double-tag methods,” Eur. Phys. J. C **13**, 47 (2000) [arXiv:hep-ex/9909045].
- [117] M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **466**, 71 (1999) [arXiv:hep-ex/9909044].

- [118] M. Acciarri *et al.* [L3 Collaboration], “Measurement of inclusive $D^{*\pm}$ production in two-photon collisions at LEP,” *Phys. Lett. B* **467**, 137 (1999) [arXiv:hep-ex/9909005].
- [119] M. Acciarri *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at $\sqrt{s} = 183$ GeV and 189 GeV,” *Phys. Lett. B* **462**, 354 (1999) [arXiv:hep-ex/9909007].
- [120] M. Acciarri *et al.* [L3 Collaboration], “Search for standard model Higgs boson in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” *Phys. Lett. B* **461**, 376 (1999) [arXiv:hep-ex/9909004].
- [121] M. Acciarri *et al.* [L3 Collaboration], “Search for heavy isosinglet neutrinos in e^+e^- annihilation at $130 \text{ GeV} < \sqrt{s} < 189 \text{ GeV}$,” *Phys. Lett. B* **461**, 397 (1999) [arXiv:hep-ex/9909006].
- [122] M. Acciarri *et al.* [L3 Collaboration], “Formation of the η_c in two-photon collisions at LEP,” *Phys. Lett. B* **461**, 155 (1999) [arXiv:hep-ex/9909008].
- [123] M. Acciarri *et al.* [L3 Collaboration], “Measurement of an elongation of the pion source in Z decays,” *Phys. Lett. B* **458**, 517 (1999) [arXiv:hep-ex/9909009].
- [124] M. Acciarri *et al.* [L3 Collaboration], “Measurement of mass and width of the W boson at LEP,” *Phys. Lett. B* **454**, 386 (1999) [arXiv:hep-ex/9909010].
- [125] M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 183$ GeV,” *Phys. Lett. B* **456**, 283 (1999).
- [126] M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity violating chargino and neutralino decays in e^+e^- collisions up to $\sqrt{s} = 183$ GeV,” *Phys. Lett. B* **459**, 354 (1999).
- [127] M. Acciarri *et al.* [L3 Collaboration], “Study of neutral-current four-fermion and ZZ production in e^+e^- collisions at $\sqrt{s} = 183$ GeV,” *Phys. Lett. B* **450**, 281 (1999).
- [128] M. Acciarri *et al.* [L3 Collaboration], “Measurement of the cross-section for the process $\gamma^*\gamma^* \rightarrow \text{hadrons}$ at LEP,” *Phys. Lett. B* **453**, 333 (1999).
- [129] M. Acciarri *et al.* [L3 Collaboration], “Heavy quarkonium production in Z decays,” *Phys. Lett. B* **453**, 94 (1999).